

PRODUCT INFORMATION

WSD FLY STRIKE POWDER

To Control Flystrike and for Wound Dressing for Animals

Product Description

WSD FLY STRIKE POWDER is a treatment for blowfly strike of sheep and a wound treatment for livestock.

Type of Preparation

WSD FLY STRIKE POWDER is a ready-to use powder for topical application to struck areas or as a wound dressing containing diazinon 15g/kg, piperonyl butoxide 0.8g/kg, and pyrethrins 1g/kg.

Indications

Sheep and other Livestock:

To treat or prevent blowfly strike, including after dehorning, mulesing or other wounds **Milking Sheep:** Should not be used in sheep producing milk for human consumption.

Dosage

Always refer to the label.

Shear wool or clip hair from the affected parts. Apply powder to the wound, introducing it into any cavities beneath the skin. Dust the wool and skin bordering the strike, particularly areas between skin wrinkles. After marking, mulesing and dehorning, apply liberally to the affected area.

Advice On Use

- It is important to coat the area thoroughly.
- Following fly strike, re-treatment of the affected area may be required.
- All preparations containing diazinon should be treated with CAUTION.



CAUTION

Keep out of reach of children Read safety directions before opening or using For Animal Treatment Only



WSD Fly Strike Powder

TO CONTROL FLYSTRIKE AND FOR WOUND DRESSING FOR ANIMALS.

ACTIVE CONSTITUENTS: 15 g/Kg DIAZINON (An Antichloinesterase compound) 1 g/Kg PYRETHRINS 0.8 g/Kg PIPERONYL BUTOXIDE

2.5 KG





DIRECTIONS FOR USE:

RESTRAINTS:

Do not use on cows, ewes or does which are producing or may in the future produce milk or milk products for human consumption.

DOSAGE & ADMINISTRATION:

Wound dressing, after marking, mulesing and dehorning: Dust the wound using a suitable container, ensuring the powder enters any crevices and cavities under the skin. Apply the powder in ample quantities to the area of operation. For general wounds: clip hair or shear affected areas and dust them lightly. For strike, dehorning: apply the powder in ample quantities to the area affected. Not to be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

WITHHOLDING PERIODS:

Meat withholding period (sheep and goats): Do not use less than fourteen (14) days before slaughter for human consumption. Meat withholding period (cattle): Do not use less than three (3) days before slaughter for human consumption. Milk withholding period (sheep & goats & cattle): Do not use on cows, ewes or does which are producing or may in the future produce milk or milk products for human consumption.

WOOL HARVEST INTERVAL: DO NOT use less than 2 months before shearing or fibre collection.

TRADE ADVICE:

Cattle: Do not use less than 3 days before slaughter for export. Sheep: Do not use less than 21 days before slaughter for export. Goats: An ESI has not been established for the use of this product in goats. The ESI on this label was correct at the time of label approval. Before suing this product, confirm the current ESI from the manufacturer website on www.wsdagribusiness.com or the APVMA website www.apvma.gov.au/residues/ESI.html Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers.

SAFETY DIRECTIONS:

Hamful if swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale dust. When using the product wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow length PVC gloves. After using and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 13 11 26).

ADDITIONAL USER SAFETY:

Sheep Rehandling Interval: Six weeks. If sheep must be handled during this interval, cotton overalls buttoned to the neck (or equivalent clothing) should be worn. Material Safety Data Sheet: Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIROMENT:

Dangerous to fish. Do not contaminate streams, rivers and waterways with the product or used containers

DISPOSAL:

Triple or (preferably) pressure rinse container. Dispose of rinsate in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Do not dispose of undiluted chemicals on-site. Return clean container for recycling where this is an option or for disposal at a landfill authorised to accept this waste. If neither of these options are available, bury the container below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty container should not be burned.

STORAGE:

Store below 30°C (room temperature) in the closed, original container in a dry, well-ventilated area and protect from light.

CONDITIONS OF SALE:

All WSD Agribusiness products are of a high quality, being subjected to rigid quality control. The manufacturer, however, is unable to control the product's subsequent handling or use or the circumstances of each handling or use. This product is sold on the express condition that neither the manufacturer nor the distributor is under any liability for any loss or damage that may arise through such handling or use. If these conditions are unacceptable the container should be returned unopened for credit.

Registered, manufactured and distributed in Australia by:



WSD Agribusiness Pty. Ltd. Koojan Avenue, South Guildford WA 6055 Tel: (08) 9321 2888 Fax: (08) 9479 4088 contact@wsdagribusiness.com www.wsdagribusiness.com APVMA Approval 39573/0614
Batch No:

